Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

# SAFETY DATA SHEET

**Epoxy Gloss Coat - Resin** 

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- : Epoxy Gloss Coat Resin
- **Product name Product description** : Coating. **Product type** : Liquid. UFI : G9S0-4002-Q008-M74T

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Consumer use Industrial use Professional use		
Uses advised against Reason		
None identified.	-	

#### 1.3 Details of the supplier of the safety data sheet

Watco UK Limited Eastgate Court 195-205 High Street Guildford Surrey GU1 3EH Telephone no.: +44 (0) 1483 425000 (08:00 - 18:00) Fax no.: +44 (0) 1483 428888

e-mail address of person : rpmeurohas@rustoleum.eu responsible for this SDS

#### 1.4 Emergency telephone number

National advisory body/Poison Centre			
<u>Supplier</u>			
Telephone number	: +353 19014670		
Hours of operation	: 24/7		

## SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Product definition** : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		

Date of issue/Date of revision

: 01/06/2022 Date of previous issue

Epoxy Gloss Coat - Resin

SECTION 2: Hazards identification		
General	<ul> <li>P103 - Read carefully and follow all instructions.</li> <li>P102 - Keep out of reach of children.</li> <li>P101 - If medical advice is needed, have product container or label at hand.</li> </ul>	
Prevention	: Not applicable.	
Response	: Not applicable.	
Storage	: Not applicable.	
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.	
Supplemental label elements	: Safety data sheet available on request.	
Supplemental label elements : Detergents - Regulation (EC) No 907/2006	: Not applicable.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Special packaging requirem	ients	
Containers to be fitted with child-resistant fastenings	: Not applicable.	
Tactile warning of danger	: Not applicable.	

#### 2.3 Other hazards

#### Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### : Mixture

#### Ireland

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
1-methoxy-2-propanol	REACH #: 01-2119457435-35 EC: 203-539-1 CAS: 107-98-2 Index: 603-064-00-3	≤10	Flam. Liq. 3, H226 STOT SE 3, H336	-
benzyl alcohol	REACH #: 01-2119492630-38 EC: 202-859-9 CAS: 100-51-6 Index: 603-057-00-5	≤5	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319	-
			See Section 16 for the full text of the H statements declared above.	

#### Sweden

Date of issue/Date of revision

Epoxy Gloss Coat - Resin

# **SECTION 3: Composition/information on ingredients**

<u>Type</u>

SCL (Specific Concentration Limits) Not applicable.	Not applicable.
ATE (acute toxicity estimates) Not applicable.	Not applicable.
	Particle Size Not applicable.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	ns a	and effects, both acute and delayed
Over-exposure signs/symm	nton	05

# Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed		
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>	
Specific treatments	: No specific treatment.	

Epoxy Gloss Coat - Resin

SECTION 5: Firefighting measures				
5.1 Extinguishing media				
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	:	None known.		
5.2 Special hazards arising f	ron	n the substance or mixture		
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide		
5.3 Advice for firefighters				
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.		
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		

# SECTION 6: Accidental release measures

6.1 Personal precautions	, protective equipment and	I emergency procedures
--------------------------	----------------------------	------------------------

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.		
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
6.3 Methods and material for containment and cleaning up				
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.		
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.		

Epoxy Gloss Coat - Resin

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Ireland

Product/ingredient name	Exposure limit values		
1-methoxy-2-propanol	NAOSH (Ireland, 5/2021). Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values OELV-8hr: 100 ppm 8 hours. OELV-8hr: 375 mg/m <sup>3</sup> 8 hours. OELV-15min: 150 ppm 15 minutes. OELV-15min: 568 mg/m <sup>3</sup> 15 minutes.		
procedures atmospher	uct contains ingredients with exposure limits, personal, workplace e or biological monitoring may be required to determine the effectiveness ilation or other control measures and/or the necessity to use respiratory		

atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Epoxy Gloss Coat - Resin

# **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
1-methoxy-2-propanol	DNEL	Short term	553,5 mg/	Workers	Local
		Inhalation	m <sup>3</sup>		
	DNEL	Long term	369 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Inhalation Long term Dermal	50,6 mg/	Workers	Systemic
	DINCE	Long term Derma	kg bw/day	WOIKEI3	Oysternic
	DNEL	Long term	43,9 mg/m <sup>3</sup>	General	Systemic
		Inhalation		population	- ,
				[Consumers]	
	DNEL	Long term Dermal	18,1 mg/	General	Systemic
			kg bw/day	population	
	DNEL	Long term Oral	3,3 mg/kg	[Consumers] General	Systemic
	DNEL	Long term Oral	bw/day	population	Systemic
			5W/day	[Consumers]	
benzyl alcohol	DNEL	Short term Dermal	47 mg/kg	Workers	Systemic
,			bw/day		,
	DNEL	Short term	450 mg/m³	Workers	Systemic
		Inhalation			
	DNEL	Long term Dermal	9,5 mg/kg	Workers	Systemic
	DNEL	Long term	bw/day 90 mg/m³	Workers	Systemic
	DNEL	Inhalation	90 mg/m	VUINEIS	Systemic
	DNEL	Short term Dermal	28,5 mg/	General	Systemic
			kg bw/day	population	-,
			0 ,	[Consumers]	
	DNEL	Short term	40,55 mg/	General	Systemic
		Inhalation	m³	population	
		Oh and tarma On al	05	[Consumers]	O. un tra maile
	DNEL	Short term Oral	25 mg/kg bw/day	General	Systemic
			Dw/uay	population [Consumers]	
	DNEL	Long term Dermal	5,7 mg/kg	General	Systemic
			bw/day	population	- ,
			-	[Consumers]	
	DNEL	Long term	8,11 mg/m³	General	Systemic
		Inhalation		population	
		Long torm Oral	5 mg/kg	[Consumers] General	Svetemie
	DNEL	Long term Oral	5 mg/kg bw/day	population	Systemic
			Dw/day	[Consumers]	
	DNEL	Short term Dermal	20 mg/kg	General	Systemic
			0 0	population	,
	DNEL	Long term Oral	4 mg/kg	General	Systemic
	<b>D</b>			population	
	DNEL DNEL	Long term Dermal Short term Oral	8 mg/kg 20 mg/kg	Workers General	Systemic Systemic
	DNEL	Short term Orai	20 mg/kg	population	Systemic
	DNEL	Long term Dermal	4 mg/kg	General	Systemic
				population	- ,
	DNEL	Short term	27 mg/m³	General	Systemic
		Inhalation		population	-
	DNEL	Long term	5,4 mg/m³	General	Systemic
		Inhalation	00	population	Our transfer
	DNEL	Long term Inhalation	22 mg/m³	Workers	Systemic
	DNEL	Short term	110 mg/m³	Workers	Systemic
			i io ing/iii	WUNCIS	Oysternic
		Inhalation			

6/15

Epoxy Gloss Coat - Resin

## **SECTION 8: Exposure controls/personal protection**

#### **PNECs**

Product/ingredient name	Compartment Detail	Value	Method Detail
1-methoxy-2-propanol	Fresh water	10 mg/l	-
	Fresh water sediment	41,6 mg/l	-
	Marine water sediment	4,17 mg/l	-
	Soil	2,47 mg/l	-
	Sewage Treatment	100 mg/l	-
	Plant		
benzyl alcohol	Fresh water	1 mg/l	Assessment Factors
	Marine	0,1 mg/l	Assessment Factors
	Fresh water sediment	5,27 mg/kg	Assessment Factors
	Marine water sediment	0,527 mg/kg	Assessment Factors
	Soil	0,456 mg/kg	Assessment Factors
	Sewage Treatment Plant	39 mg/l	Assessment Factors
	Fresh water	2,3 mg/l	-
	Sewage Treatment	39 mg/l	-
	Plant	0	
	Fresh water sediment	5,27 mg/kg	-
	Soil	0,456 mg/kg	-
	Marine water sediment	0,527 mg/kg	-
	Fresh water	1 mg/l	-
	Marine water	0,1 mg/l	-

#### 8.2 Exposure controls

Appropriate engineering<br/>controls: Good general ventilation should be sufficient to control worker exposure to airborne<br/>contaminants.

#### Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Use eye protection according to EN 166. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses with side-shields.

#### **Skin protection**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

# Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should<br/>be worn at all times when handling chemical products if a risk assessment indicates<br/>this is necessary. > 8 hours (breakthrough time): > 8 hours (breakthrough time):<br/>Butyl rubber gloves (0.60mm) nitrile rubber (0.5mm).

Epoxy Gloss Coat - Resin

## **SECTION 8: Exposure controls/personal protection**

		The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN374. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear overalls or long sleeved shirt.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour (Type A) and particulate filter.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Physical state		Liquid.	ook Volla	w Cros	n [light]			
Colour	÷	Grey. Red. Blue. Bla		w. Gree	n. [Lignij			
Odour	÷	Not available.						
Odour threshold	÷	Not available.						
Melting point/freezing point	:	Not available.						
Initial boiling point and boiling range	:	Not relevant due to	nature of	the pro	duct.			
Flammability (solid, gas)	:	Not available.						
Upper/lower flammability or explosive limits	:	Not available.						
Flash point	1	Closed cup: >93°C	(>199,4°F	F) [AST	M D 56]			
Auto-ignition temperature	1	Not relevant due to	nature of	the pro	duct.			
Decomposition temperature	4	Not available.						
рН	4	Not applicable.						
pH : Justification	4	Product is non-solu	ble (in wa	ter).				
Viscosity	1	Not available.						
Solubility(ies)	1	Not available.						
Solubility in water	:	Not available.						
Partition coefficient: n-octanol/ water	:	Not applicable.						
Vapour pressure	;		Vapou	r Press	ure at 20°C	Vapo	our pres	sure at 50°C
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method

**Evaporation rate** 

: Not available.

Epoxy Gloss Coat - Resin

# **SECTION 9: Physical and chemical properties**

Relative density	: 1,087 [calculated.]
Density	: 1,07 to 1,13 g/cm <sup>3</sup> [DIN 53217]
Vapour density	: Not available.
Explosive properties	: Not available.
Oxidising properties	: Not available.
Particle characteristics	
Median particle size	: Not applicable.

SECTION 10: Stabilit	y and reactivity
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1-methoxy-2-propanol	LC50 Inhalation Vapour	Rat	30,02 mg/l	4 hours
	LD50 Dermal	Rabbit	13 g/kg	-
	LD50 Oral	Mouse	11700 mg/kg	-
	LD50 Oral	Rat - Male,	4016 mg/kg	-
		Female		
benzyl alcohol	LC50 Inhalation Dusts and mists	Rat	4,178 mg/l	4 hours
	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1620 mg/kg	-
	LD50 Oral	Rat	1660 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Epoxy Gloss Coat - Resin	43200	N/A	N/A	N/A	111,4
benzyl alcohol	1620	N/A	N/A	N/A	4,178

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
benzyl alcohol	Eyes - Irritant	Rabbit	-	-	-
	Skin - Moderate irritant	Pig	-	100 Percent	-

Epoxy Gloss Coat - Resin

#### SECTION 11: Toxicological information **Conclusion/Summary** Skin : Based on available data, the classification criteria are not met. Eyes : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Respiratory **Sensitisation Conclusion/Summary** Skin : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Respiratory **Mutagenicity Conclusion/Summary** : Based on available data, the classification criteria are not met. **Carcinogenicity Product/ingredient name** Result **Species** Dose **Exposure** benzyl alcohol Negative - Oral - TD Rat 103 weeks; 5 days per week **Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Reproductive toxicity Conclusion/Summary

: Based on available data, the classification criteria are not met.

#### **Teratogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
benzyl alcohol	Negative - Route of exposure unreported	Mouse - Female	550 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1-methoxy-2-propanol	Category 3	-	Narcotic effects

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

#### Information on likely routes : Not available. of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics		
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Date of issue/Date of revision : 01/06/2	D22 Date of previous issue	: 01/06/2022	Version : 4.02	10/15
--	----------------------------	--------------	----------------	-------

Epoxy Gloss Coat - Resin

# **SECTION 11: Toxicological information**

Short term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
<u>Long term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health eff	<u>ects</u>	
Not available.		
Conclusion/Summary	: Based on available data, the classification criteria are not met.	
General	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
Mutagenicity	: No known significant effects or critical hazards.	
Reproductive toxicity	: No known significant effects or critical hazards.	
Reproductive toxicity	: No known significant effects or critical hazards.	
Reproductive toxicity Endocrine disrupting properties	<ul><li>No known significant effects or critical hazards.</li><li>Not available.</li></ul>	

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
1-methoxy-2-propanol	Acute EC50 >1000 mg/l	Algae - Selenastrum	7 days
		capricomutum	
	Acute EC50 23300 mg/l	Daphnia spec.	96 hours
	Acute LC50 6812 mg/l Fresh water	Fish	96 hours
benzyl alcohol	Acute EC50 770 mg/l	Algae	72 hours
	Acute LC50 646 mg/l	Fish - Leuciscus idus	48 hours
	Acute LC50 460000 µg/l Fresh water	Fish - Pimephales promelas -	96 hours
		Juvenile (Fledgling, Hatchling,	
		Weanling)	
	Acute NOEC 310 mg/l	Algae	72 hours
Conclusion/Summary	: Based on available data, the classified	cation criteria are not met.	1

#### 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
1-methoxy-2-propanol	OECD 301E OECD 301C -	96 % - Readily - 28 0 88 to 92 % - Readily >90 % - Readily - 5 0	/ - 28 days	- - 1,95 gO₂/g	- - -
benzyl alcohol	OECD 301A	96 % - Readily - 21 d		ThOD -	-
Conclusion/Summary	: Based on ava	ilable data, the classific	cation crite	ria are not met.	
Product/ingredient name	Aquatic half-life	)	Photolysi	S	Biodegradability
1-methoxy-2-propanol benzyl alcohol	Fresh water <28 -	days, 5 to 25°C	-		Readily Readily

#### **12.3 Bioaccumulative potential**

Epoxy Gloss Coat - Resin

SECTION 12: Ecological information				
	Product/ingredient name	LogPow	BCF	Potential
	1-methoxy-2-propanol benzyl alcohol	<1 0,87	<100 -	low low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.7 Other adverse effects	: No known significant effects or critical hazards.
12.6 Endocrine disrupting properties	: No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance.

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
Date of issue/Date of rev	rision : 01/06/20	D22 Date of previous issue	: 01/06/2022	Version : 4.02 12/15

Epoxy Gloss Coat - Resin

SECTION 14: Transport information				
14.5 Environmental hazards	No.	No.	No.	No.

```
user
```

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not available.
according to IMO	
instruments	

# **SECTION 15: Regulatory information**

15.1 Safety, health and envir	oni	nental regulatior	ns/legislation spe	cific for the substand	ce or mixture		
EU Regulation (EC) No. 190	7/2	<u>006 (REACH)</u>					
Annex XIV - List of substa	nce	es subject to aut	norisation				
Annex XIV							
None of the components a	re l	isted.					
Substances of very high	CO	<u>ncern</u>					
None of the components a	re l	isted.					
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.					
Other EU regulations							
VOC	:			2/EC on VOC apply to sheet for further inforr		efer to t	the
VOC for Ready-for-Use Mixture	:	EU limit value for	eactive performan r this product : 140 tains a maximum	<b>U</b> ( )	c end use such	ı as floo	rs.
Industrial emissions (integrated pollution prevention and control) - Air	:	Not listed					
Industrial emissions (integrated pollution prevention and control) - Water	-	Not listed					
Ozone depleting substance Not listed.	<u>es</u>	<u>(1005/2009/EC)</u>					
Prior Informed Consent (P Not listed.	<u>IC)</u>	<u>(649/2012/EC)</u>					
Persistent Organic Polluta Not listed.	nts	<u>s (850/2004/EC)</u>					
<u>Seveso Directive</u> This product is not controlled <u>Ireland</u>	d u	nder the Seveso I	Directive.				
Date of issue/Date of revision		: 01/06/2022 Dat	e of previous issue	: 01/06/2022	Version	: 4.02	13/15

Epoxy Gloss Coat - Resin

#### SECTION 15: Regulatory information : Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. References 619 of 2001) Safety, Health and Welfare at Work (Carcinogens) Regulations 2001 (S.I. No. 78 of 2001) Safety, Health and Welfare at Work (General Application) Regulations 2007 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### **International regulations**

#### Stockholm Convention on Persistent Organic Pollutants

List name	Ingredient name	Status
Not listed.		

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

List name	Ingredient name Status		
Not listed.			
<b>CN code</b> : 3209 90	00 00		
Inventory list			
Australia	: All components are listed or exempted.		
Canada	: All components are listed or exempted.		
China	: All components are listed or exempted.		
Europe	:		
Japan	: Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.		
New Zealand	: All components are listed or exempted.		
Philippines	: At least one component is not listed.		
Republic of Korea	: All components are listed or exempted.		
Taiwan	: All components are listed or exempted.		
Thailand	: Not determined.		
Turkey	: Not determined.		
United States	: Not determined.		
Viet Nam	: Not determined.		
5.2 Chemical safety seessment	This product contains substances for which Chemical Safety Assessments are required.		

## **SECTION 16: Other information**

Indicates information that	has changed from previously issued version.
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration</li> </ul>
Date of issue/Date of revision	: 01/06/2022 Date of previous issue : 01/06/2022 Version : 4.02 14/15

Date of issue/Date of revision	: 01/06/2022	Date of previous issue	: 01/06/2022	Version	: 4.02	
--------------------------------	--------------	------------------------	--------------	---------	--------	--

Epoxy Gloss Coat - Resin

## **SECTION 16: Other information**

RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

<u>lreland</u>			
Full text of abbreviated H statements	:	H302 H H319 C H332 H	lammable liquid and vapour. larmful if swallowed. causes serious eye irritation. larmful if inhaled. lay cause drowsiness or dizziness.
Full text of classifications [CLP/GHS]	:	Acute Tox. 4 Eye Irrit. 2 Flam. Liq. 3 STOT SE 3	ACUTE TOXICITY - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 3 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
Date of printing	:	16/03/2023	
Date of issue/ Date of revision	:	01/06/2022	
Date of previous issue	1	01/06/2022	
Version	:	4.02	
Notion to reador			

#### Notice to reader

IMPORTANT NOTE: The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates. Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.