Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Watco° SAFETY DATA SHEET

Epoxy Matt Coat Hygienic - Resin

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name

- : Epoxy Matt Coat Hygienic Resin
- Product description: Coating.Product type: Liquid.UFI: 5JS0-N028-M00R-K7W0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses			
Consumer use Industrial use Professional use			
Uses advised against	Reason		
None identified.	-		

1.3 Details of the supplier of the safety data sheet

Watco UK Limited Eastgate Court 195-205 High Street Guildford Surrey GU1 3EH Telephone no.: +44 (0) 1483 425000 (08:00 - 18:00) Fax no.: +44 (0) 1483 42888

e-mail address of person : rpmeurohas@rustoleum.eu responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison Centre						
<u>Supplier</u>						
Telephone number	: +353 19014670					
Hours of operation	: 24/7					

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		

Date of issue/Date of revision

: 01/06/2022 Date of previous issue

Version : 3.04

Epoxy Matt Coat Hygienic - Resin

SECTION 2: Hazards	ic	lentification
General	:	P103 - Read carefully and follow all instructions. P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	1	Not applicable.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	:	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Safety data sheet available on request.
Supplemental label elements : Detergents - Regulation (EC) No 907/2006	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	nen	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

Ireland

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
1-methoxy-2-propanol	REACH #: 01-2119457435-35 EC: 203-539-1 CAS: 107-98-2 Index: 603-064-00-3	≤10	Flam. Liq. 3, H226 STOT SE 3, H336	[1] [2]
benzyl alcohol	REACH #: 01-2119492630-38 EC: 202-859-9 CAS: 100-51-6 Index: 603-057-00-5	≤3	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the H statements declared above.	

Sweden

Date of issue/Date of revision

Epoxy Matt Coat Hygienic - Resin

SECTION 3: Composition/information on ingredients

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SCL (Specific Concentration Limits) Not applicable.	Not applicable.
ATE (acute toxicity estimates) Not applicable.	Not applicable.
Nanoform Particle characteristics	Particle Size

This product does not contains nanomaterials.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Not applicable.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid m	easures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed Over-exposure signs/symptoms

over exposure signs/symptoms					
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	: No specific data.				

4.3 Indication of any immediate medical attention and special treatment needed

Date of issue/Date of revision	
--------------------------------	--

Ireland	
Epoxy Matt Coat Hygienic - Resin	
SECTION 4: First aid	measures
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the inciden there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

	Date	of	issu	e/D	ate	of	revision	
--	------	----	------	-----	-----	----	----------	--

Epoxy Matt Coat Hygienic - Resin

SECTION 6: Accidental release measures

6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.
	See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

7.1 Precautions for safe handling

Protective measures

- Advice on general occupational hygiene
- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations Industrial sector specific

: Not available.

: Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Ireland

Product/ingredient name	Exposure limit values
1-methoxy-2-propanol	NAOSH (Ireland, 5/2021). Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values OELV-8hr: 100 ppm 8 hours. OELV-8hr: 375 mg/m ³ 8 hours. OELV-15min: 150 ppm 15 minutes. OELV-15min: 568 mg/m ³ 15 minutes.
procedures atmosphe of the ver protective the follow the asses limit value atmosphe of exposu (Workplay for the me	duct contains ingredients with exposure limits, personal, workplace ere or biological monitoring may be required to determine the effectiveness stillation or other control measures and/or the necessity to use respiratory equipment. Reference should be made to monitoring standards, such as ing: European Standard EN 689 (Workplace atmospheres - Guidance for sment of exposure by inhalation to chemical agents for comparison with es and measurement strategy) European Standard EN 14042 (Workplace eres - Guide for the application and use of procedures for the assessment ire to chemical and biological agents) European Standard EN 482 ce atmospheres - General requirements for the performance of procedures easurement of chemical agents) Reference to national guidance ts for methods for the determination of hazardous substances will also be

5/15

Epoxy Matt Coat Hygienic - Resin

DNELs/DMELs

SECTION 8: Exposure controls/personal protection

required.

Product/ingredient name	Туре	Exposure	Value	Population	Effects
1-methoxy-2-propanol	DNEL	Short term	553,5 mg/	Workers	Local
		Inhalation	m³		
	DNEL	Long term	369 mg/m³	Workers	Systemic
		Inhalation			
	DNEL	Long term Dermal	50,6 mg/	Workers	Systemic
			kg bw/day		
	DNEL	Long term	43,9 mg/m ³	General	Systemic
		Inhalation		population	
				[Consumers]	
	DNEL	Long term Dermal	18,1 mg/	General	Systemic
			kg bw/day	population	
				[Consumers]	
	DNEL	Long term Oral	3,3 mg/kg	General	Systemic
			bw/day	population	
				[Consumers]	
benzyl alcohol	DNEL	Short term Dermal	47 mg/kg	Workers	Systemic
-			bw/day		-
	DNEL	Short term	450 mg/m ³	Workers	Systemic
		Inhalation			-
	DNEL	Long term Dermal	9,5 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Long term	90 mg/m³	Workers	Systemic
		Inhalation			
	DNEL	Short term Dermal	28,5 mg/	General	Systemic
			kg bw/day	population	
			<u> </u>	[Consumers]	
	DNEL	Short term	40,55 mg/	General	Systemic
		Inhalation	m ³	population	-,
				[Consumers]	
	DNEL	Short term Oral	25 mg/kg	General	Systemic
			bw/day	population	
			200,000	[Consumers]	
	DNEL	Long term Dermal	5,7 mg/kg	General	Systemic
			bw/day	population	
			Swiddy	[Consumers]	
	DNEL	Long term	8,11 mg/m³	General	Systemic
		Inhalation	5, i i ing/iii	population	Gysternic
		Innalation			
	DNEL	Long term Oral	5 mg/kg	[Consumers] General	Systemic
	DNEL		bw/day	population	Gysternic
			Dw/uay		
	האורי	Short term Dermal	20 ma/ka	[Consumers] General	Systemic
	DNEL		20 mg/kg	-	Systemic
		Long torm Oral	1 ma/ka	population	Sustamia
	DNEL	Long term Oral	4 mg/kg	General	Systemic
			0	population	C. internation
	DNEL	Long term Dermal	8 mg/kg	Workers	Systemic
	DNEL	Short term Oral	20 mg/kg	General	Systemic
	D			population	
	DNEL	Long term Dermal	4 mg/kg	General	Systemic
	 .			population	
	DNEL	Short term	27 mg/m³	General	Systemic
		Inhalation		population	
	DNEL	Long term	5,4 mg/m³	General	Systemic
		Inhalation		population	
	DNEL	Long term	22 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Short term	110 mg/m³	Workers	Systemic
	1	1			

Epoxy Matt Coat Hygienic - Resin

SECTION 8: Exposure controls/personal protection

		DNEL	Inhalation Short term Dermal	40 mg/kg	Workers	Systemic
Р	NECs					

Product/ingredient name	Compartment Detail	Value	Method Detail
1-methoxy-2-propanol	Fresh water	10 mg/l	-
	Fresh water sediment	41,6 mg/l	-
	Marine water sediment	4,17 mg/l	-
	Soil	2,47 mg/l	-
	Sewage Treatment	100 mg/l	-
	Plant	_	
benzyl alcohol	Fresh water	1 mg/l	Assessment Factors
	Marine	0,1 mg/l	Assessment Factors
	Fresh water sediment	5,27 mg/kg	Assessment Factors
	Marine water sediment	0,527 mg/kg	Assessment Factors
	Soil	0,456 mg/kg	Assessment Factors
	Sewage Treatment	39 mg/l	Assessment Factors
	Plant		
	Fresh water	2,3 mg/l	-
	Sewage Treatment	39 mg/l	-
	Plant		
	Fresh water sediment	5,27 mg/kg	-
	Soil	0,456 mg/kg	-
	Marine water sediment	0,527 mg/kg	-
	Fresh water	1 mg/l	-
	Marine water	0,1 mg/l	-

8.2 Exposure controls

Appropriate engineering	Good general ventilation should be sufficient to control worker exposure to airborne
controls	contaminants.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Use eye protection according to EN 166. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses with side-shields.

Skin protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): Butyl rubber gloves (0.60mm) nitrile rubber (0.5mm).

Epoxy Matt Coat Hygienic - Resin

SECTION 8: Exposure controls/personal protection

	The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN374. The user much check that the final choice of type of glove selected for handling this product is most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.	
Body protection	Personal protective equipment for the body should be selected based on the ta being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear overalls or long sleeved sh	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product.	be
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other impo- aspects of use. Recommended: organic vapour (Type A) and particulate filter.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation In some cases, fume scrubbers, filters or engineering modifications to the proce- equipment will be necessary to reduce emissions to acceptable levels.	

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physica	l a	nd chemical proper	ties							
Physical state	;	Liquid.								
Colour	1	Clear. White.								
Odour	1	Not available.								
Odour threshold	÷	Not available.	available.							
Melting point/freezing point	:	Not available.								
Initial boiling point and boiling range	:	Not relevant due to	nature of	the pro	duct.					
Flammability (solid, gas)	1	Not available.								
Upper/lower flammability or explosive limits	1	Not available.	lot available.							
Flash point	1	Closed cup: >100°C	Closed cup: >100°C (>212°F) [ASTM D 56]							
Auto-ignition temperature	4	Not relevant due to	Not relevant due to nature of the product.							
Decomposition temperature	÷	Not available.	Not available.							
рН	÷	6 to 8 [Conc. (% w/v	6 to 8 [Conc. (% w/w): 100%] [OECD 122]							
pH : Justification	÷	Not available.								
Viscosity	4	Not available.								
Solubility(ies)	÷	Not available.								
Solubility in water	1	Not available.								
Partition coefficient: n-octanol/ water	:	Not applicable.								
Vapour pressure	:		Vapou	r Press	ure at 20°C	Vapo	our pres	sure at 50°C		
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method		
—					•					

9.1 Information on basic physical and chemical properties

Evaporation rate

: Not available.

50°C

Epoxy Matt Coat Hygienic - Resin

SECTION 9: Physical and chemical properties

: 1,108 [calculated.]
: 1,108 g/cm ³ [calculated.]
: Not available.
: Not available.
: Not available.
: Not applicable.

SECTION 10: Stability and reactivity 10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients. **10.2 Chemical stability** : The product is stable. 10.3 Possibility of : Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions 10.4 Conditions to avoid : No specific data. **10.5 Incompatible materials** : No specific data. **10.6 Hazardous** : Under normal conditions of storage and use, hazardous decomposition products should not be produced. decomposition products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1-methoxy-2-propanol	LC50 Inhalation Vapour	Rat	30,02 mg/l	4 hours
	LD50 Dermal	Rabbit	13 g/kg	-
	LD50 Oral	Mouse	11700 mg/kg	-
	LD50 Oral	Rat - Male,	4016 mg/kg	-
		Female		
benzyl alcohol	LC50 Inhalation Dusts and mists	Rat	4,178 mg/l	4 hours
	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1620 mg/kg	-
	LD50 Oral	Rat	1660 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
benzyl alcohol	1620	N/A	N/A	N/A	4,178

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
benzyl alcohol	Eyes - Irritant Skin - Moderate irritant	Rabbit Pig		- 100 Percent	-

Conclusion/Summary

Date of issue/Date of revision

Epoxy Matt Coat Hygienic - Resin

SECTION 11: Toxicological information : Based on available data, the classification criteria are not met. Skin : Based on available data, the classification criteria are not met. **Eyes** Respiratory : Based on available data, the classification criteria are not met. **Sensitisation Conclusion/Summary** : Based on available data, the classification criteria are not met. Skin Respiratory : Based on available data, the classification criteria are not met. **Mutagenicity Conclusion/Summary** : Based on available data, the classification criteria are not met. Carcinogenicity **Product/ingredient name** Result **Species** Dose **Exposure** benzyl alcohol Negative - Oral - TD 103 weeks; 5 Rat _ days per week **Conclusion/Summary** : Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
benzyl alcohol	Negative - Route of exposure unreported	Mouse - Female	550 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1-methoxy-2-propanol	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes : Not available. of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Epoxy Matt Coat Hygienic - Resin

SECTION 11: Toxicological information

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Endocrine disrupting properties	: Not available.
Other information	: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
1-methoxy-2-propanol	Acute EC50 >1000 mg/l	Algae - Selenastrum capricomutum	7 days
	Acute EC50 23300 mg/l	Daphnia spec.	96 hours
	Acute LC50 6812 mg/l Fresh water	Fish	96 hours
benzyl alcohol	Acute EC50 770 mg/l	Algae	72 hours
	Acute LC50 646 mg/l	Fish - Leuciscus idus	48 hours
	Acute LC50 460000 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Acute NOEC 310 mg/l	Algae	72 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
1-methoxy-2-propanol	OECD 301E OECD 301C -	96 % - Readily - 28 (88 to 92 % - Readily >90 % - Readily - 5 (/ - 28 days	- - 1,95 gO2/9	
benzyl alcohol	OECD 301A	96 % - Readily - 21 o	days	ThOD -	-
Conclusion/Summary	: Based on availa	able data, the classific	cation crite	ria are not met.	
Product/ingredient name	Aquatic half-life		Photolysi	S	Biodegradability
1-methoxy-2-propanol benzyl alcohol	Fresh water <28 o	days, 5 to 25°C	-		Readily Readily

12.3 Bioaccumulative potential

Epoxy Matt Coat Hygienic - Resin

SECTION 12: Ecolog	ical informati	on	
Product/ingredient name	LogPow	BCF	Potential
1-methoxy-2-propanol benzyl alcohol	<1 0,87	<100 -	low low

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.7 Other adverse effects	: No known significant effects or critical hazards.
12.6 Endocrine disrupting properties	: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance.

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
Date of issue/Date of rev	vision : 01/06/2022	2 Date of previous issue	: 01/06/2022	Version : 3.04 12/1

Epoxy Matt Coat Hygienic - Resin

SECTION 14: Transport information				
14.5 Environmental hazards	No.	No.	No.	No.

```
user
```

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	1	Not available.
according to IMO		
instruments		

SECTION 15: Regulatory information

15.1 Safety, health and envir	onme	ental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 190	<u>7/200</u>	<u>)6 (REACH)</u>
Annex XIV - List of substa	<u>ıces</u>	subject to authorisation
Annex XIV		
None of the components a	e list	ed.
Substances of very high	conc	ern
None of the components a	e list	ed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: N	lot applicable.
Other EU regulations		
VOC		The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.
VOC for Ready-for-Use Mixture	E	IA/j. Two-pack reactive performance coatings for specific end use such as floors. EU limit value for this product : 140g/l (2010.) This product contains a maximum of 30 g/l VOC.
Industrial emissions (integrated pollution prevention and control) - Air	: N	Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: N	Not listed
Ozone depleting substanc	<u>es (1</u>	<u>005/2009/EC)</u>
Not listed.		
Prior Informed Consent (P Not listed.	IC) (6	<u>349/2012/EC)</u>
Persistent Organic Polluta Not listed.	nts (<u>850/2004/EC)</u>
<u>Seveso Directive</u> This product is not controlled <u>Ireland</u>	l und	er the Seveso Directive.
Date of issue/Date of revision		: 01/06/2022 Date of provious issue : 01/06/2022 Version : 3.04 13/

Epoxy Matt Coat Hygienic - Resin

SECTION 15: Regulatory information References : Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001) Safety, Health and Welfare at Work (Carcinogens) Regulations 2001 (S.I. No. 78 of 2001) Safety, Health and Welfare at Work (General Application) Regulations 2007 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2020/878 REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

International regulations

Stockholm Convention on Persistent Organic Pollutants

List name	Ingredient name	Status
Not listed.		

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

List name Ingredient name Status			Status	
Not listed.				
CN code : 3209 90	00 00			
Inventory list				
Australia	: Not deter	rmined.		
Canada	: Not deter	rmined.		
China	: Not deter	rmined.		
Europe	: All comp	Il components are listed or exempted.		
Japan	-	Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.		
New Zealand	: Not deter	rmined.		
Philippines	: At least of	one component is not listed.		
Republic of Korea	: At least of	one component is not listed.		
Taiwan	: Not deter	rmined.		
Thailand	: Not deter	rmined.		
Turkey	: Not deter	rmined.		
United States	: Not deter	rmined.		
Viet Nam	: Not deter	rmined.		
5.2 Chemical safety ssessment		This product contains substances for which Chemical Safety Assessments are st required.		

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Haz N/A = Not available PBT = Persistent, Bioaccumulative PNEC = Predicted No Effect Conce 	vel card statement and Toxic	Regulation (EC) No	
Date of issue/Date of revision	: 01/06/2022 Date of previous issue	: 01/06/2022	Version : 3.04	14/15

	Date of issue/Date of revision	: 01/06/2022	Date of previous issue	: 01/06/2022	Version :	3.04	14/1
--	--------------------------------	--------------	------------------------	--------------	-----------	------	------

Epoxy Matt Coat Hygienic - Resin

SECTION 16: Other information

RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

<u>lreland</u>			
Full text of abbreviated H statements	H H H	802Harmful819Causes832Harmful	ble liquid and vapour. if swallowed. serious eye irritation. if inhaled. se drowsiness or dizziness.
Full text of classifications [CLP/GHS]	E	re Irrit. 2 SER am. Liq. 3 FLA FOT SE 3 SPE	TE TOXICITY - Category 4 NOUS EYE DAMAGE/EYE IRRITATION - Category 2 MMABLE LIQUIDS - Category 3 CIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - egory 3
Date of printing	: 16	03/2023	
Date of issue/ Date of revision	: 01	06/2022	
Date of previous issue	: 01	06/2022	
Version	: 3.0	4	
Notico to reador			

Notice to reader

.

IMPORTANT NOTE: The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates. Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.